

1·0 2·2 2·3 2·2 2·2 2·2 2·0 2·6 1·8 1·6

(2)

UCID- 20265

D-A148 040

A RESEARCH PROGRAM FOR THE THEORETICAL STUDY

OF THE THERMODYMMIC AND TRANSPORT PROPERTIES OF DENSE PLASMAS:

FINAL REPORT

F. J. Rogers, H. E. DeWitt, and D. B. Boercker University of California, Laurence Livermore National Labortory Livermore, California 94550

November 20, 1984

201094

elethution. The opiniom and employees stated are these of ey or may not be those of the Laboratory. ork performed under the anapless of the U.S. Department of revenue Livermore National Laboratory under Contract W-76 Burende alory

- 1 -

84 11 26 098

THE FILE COPY

SECURITY CLASSIFICATION OF THIS PAGE (When Bete Bute REPORT DOCUMENTATION PAGE RECIPIENT'S CAVALOR IN I LON HONESSON TVOD. University of California Report UCID-20265 148040 FINAL REPORTS PERSON COVERED A RESEARCH PROPOSAL FOR THE THEORETICAL STUDY OF THE THERMODYNAMIC AND TRANSPORT PROPERTIES OF 6/15/79-9/30/84 DENSE PLASMAS 4. PERFORMING ORG. REPORT NUMBER . AUTHORY CONTRACT OF STARY NUMBER OF Forrest J. Rogers, H. E. DeWitt and Contract No. N00014-80-F-0061 (1979) David B. Boercker 5. PERFORMING GREAMIZATION NAME AND ADDRESS
Lawrence Livermore National Laboratory PROGRAM ELEMENT, PROJECT, TANK Program Element No. 61153N Project Task Area No. RR024-01-01 P.O. Box 808, Livermore, CA, 94550 V-Division, Physics Dept., L-296 Mork Unit No. NR099-430 11. CONTROLLING OFFICE HAME AND ADDRESS November 14, 1984 Department of the Navy Office of Naval Research 13. NUMBER OF PAGES Arlington, VA 22217 Physics Division Manual And Address of the Control of the Con **Physics Division** S. SECURITY CLASS, (of this report) Unclassified TEA BECLASSIFICATION/BOWNSHADING 16. DISTRIBUTION STATEMENT (of this Report) "Approved for public release; distribution unlimited" 17. SISTRIBUTION STATEMENT (of the abstract entered in Block 30, If different from Report) H. SUPPLEMENTARY NOTES DENSE PLASMAS, EQUATION OF STATE, ELECTRICAL CONDUCTIVITY, STRUCTURE FACTORS, res elds if negeriary and identify by block number) PAIR DISTRIBUTION FUNCTIONS, PSEUDOPOTENTIALS, EFFECTIVE POTENTIALS, PARTIALLY IONIZED PLASMAS. A basic theoretical study of the equation of state and transport properties of dense, partially ionized, reacting plasmas has been carried out. This report summarizes the work which is fully described in 14 journal articles,

----5/R 0100-LF-014-6001

and reports. Topics include ;

classifie


A RESEARCH PROGRAM FOR THE THEORETICAL STUDY OF THE THERMODYNAMIC AND TRANSPORT PROPERTIES OF DENSE PLASMAS: FINAL REPORT*

F. J. Rogers, H. E. DeNitt, and D. B. Boercker University of California, Lawrence Livermore National Labortory Livermore, California 94550

I. INTRODUCTION

Over the past five years, we have pursued a program of theoretical research, partially funded by the Office of Naval Research, on the Equation of State (EOS) and transport properties of dense, partially ionized, reacting plasmas. Although originally motivated by the failure of older, simpler theories 1,2 to describe plasmas produced in new, innovative power sources,3 this program developed into a far-ranging, multi-faceted study of the basic properties of such complicated systems. Our research efforts, nevertheless, can be divided into three basic categories: 1) Theory of Equation of State and Static Structure; 2) Electrical Conductivity and Dynamic Properties, and 3) Computer Simulation Studies. While these categories are fairly well defined, they are very closely related, and results from each impact on results from the others. Since all of the most significant results have already appeared in published form, the progress made in each of these areas is described only briefly in the following paragraphs. More detailed descriptions can be found in the references listed, by year of publication, in Section III of this report.

"Mork performed under the auspices of the U.S. Department of Energy by Laurence Livermore National Laboratory under contract AM-7405-Eng-48 and supported in part by the Office of Naval Research.



II. MAJOR ACCOMPLISHMENTS

A. Theory of Equation of State and Static Structure

A significant part of our work for ONR involved the development of a fundamental theory of the ionization balance and equation of state of dense, reacting plasmas. Under ONR funding, we were able to extend earlier work on hydrogen and helium to include heavier elements[81a,b]. A detailed tabular EOS (with a polynomial fit provided) was constructed for argon[80a]. Similar, but less detailed, calculations were also carried out for hydrogen, helium, and xenon[83a]. Particular emphasis was placed on the rare gases, because they were anticipated to be the working fluids in the ARTEC MHD power generator. 3

To facilitate these calculations we had to develop effective potentials to describe the interactions between free electrons and ions with up to fifty-five bound electrons. The model we constructed is mathematically simple, but it still retains the shell structure of the ions[8]c].

Another important feature of dense plasmas that we studied was their equilibrium static structure. This is most easily described in terms of the static structure (or form) factors of the plasma. These functions are related to the Fourier transform of the pair distribution function, which gives the probability of finding a pair of plasma particles at a given separation. In weakly coupled plasmas the pair correlations are well described by the Debye-Huckel theory," but for dense plasmas, other methods must be used. Among the most successful of these is an integral equation approximation. known as the Hypernetted Chain(HMC) Equation. This equation has been used to described the classical one-component plasma and molten salts at moderate coupling[80b,c]. For very strong coupling, however, the HMC equation must be improved. We have succeeded in doing this by blending the HMC equation with another integral equation, called the Percus-Yevick equation, in a thermodynamically consistent way. The blended integral equation gives the accuracy of very expensive computer simulations and is no more difficult to selve than the HNC equation[846,c].

For real plasmas consisting of electrons interacting with ions through an attractive Coulomb potential, direct application of these classical integral equation techniques is impossible, because quantum mechanics is required to prevent the collapse of the system. However, if the density is not too great, the essential quantum mechanics can be incorporated into a pseudopotential which is finite at infinitesimal distances, but behaves like the Coulomb potential at large distances. Using results from our equation of state theory, we have found a suitable method for determining these numerical pseudopotentials from our analytic effective potentials described above. Having accomplished this, we can use the pseudopotentials in the HNC equation to obtain both the static structure and the equation of state properties of real plasmas from the same theory[84a,d].

B. Electrical Conductivity and Dynamic Properties

Our first major success in this area was the calculation of the electrical conductivities of argon and xenon plasmas using a Chapman-Enskog solution⁶ to the Gould, Williams, DeWitt(GMD) kinetic equation.⁷ These calculations corrected two of the important shortcomings of the usual Spitzer-type theories. First, the relevant statically screened cross sections were calculated from their correct quantum expression. Second, scattering from the electronic shells of the ions and from neutrals was included through the use of analytic effective potentials developed as part of this ONR-sponsored program. These two corrections greatly improved the agreement with Soviet experiments in moderately-coupled, partially ionized plasmas[81d]. Dynamic screening effects were also studied in the context of the GMD kinetic equation[81e], but the results for systems with important short-range contributions to the potential were not as accurate as the Ziman formula⁸ or the simple, statically screened results[82a].

He have also studied the relationship between the Ziman[®] and GMD theories of conductivity, and we showed that these apparently different approaches can be obtained from a single, unified approach based on the Green-Kubo theory⁹ for the electrical conductivity. The net result of this new approach is a simple expression for the electron-ion collision frequency which depends only on the static structure factors for the plasme[82b]. For

modest densities, this theory gives improved agreement over the theory of Spitzer for available experiments on hydrogen plasmas and it also gives good agreement with molecular dynamics simulations of strongly-coupled plasmas[82c].

The new theory described above had the additional advantage that it could be extended to non-zero frequencies to study the conductivity as a function of frequency. Once again, comparison with molecular dynamics results for frequencies below about half the plasma frequency gave excellent agreement. Extending the calculations beyond the plasma frequency, predicted a substantial reduction of the plasma emissivity by short-range correlations[83b].

Our interest in dynamic conductivities required a study of the more general dynamic structure properties of plasmas. A comparison of several model kinetic equations for the dynamic structure factors has shown that the theory Linnebur and Duderstadt accurately describes the electron peak in the charge-charge structure factor generated in simulation studies[83c]

C. Computer Simulation Studies

We have conducted very detailed and extensive numerical simulation studies of the thermodynamic properties of strongly coupled plasmas. In this work, the Monte Carlo method¹¹ was used to compute statistical averages over hundreds of thousands of configurations for several hundred ions in thermodynamic equilibrium. The problems we studied included: 1) the classical one component plasma (OCP), consisting of point ions in a uniform background; 2) ionic mixtures; 3) point ions in a polarizable background, and 4) the evaluation of the ion microfield distribution for each of the previous three systems.

For the OCP, we were able to obtain the best estimate, to date, of liquid-solid phase transition[82d], and we obtained very accurate results for the pair distribution function and structure factors. These latter results were very instrumental in our study of the blanded integral equation previously described. From our work on ionic mixtures we established a simple and accurate mixing rule for determining the EGS of a mixture from the

properties of the indvidual components[84e]. In order to model more realistic systems, we used linear response theory to model the electrons as a polarizable background which screened the ion-ion interactions, and applied this model both to one-component systems and to ionic mixtures[83d].

The observation of spectral lines emitted from plasmas yields important information about the sate of the plasma. As a consequence, we modified our simulation codes to calculate the central ingredient to most theories of plasma line broadening, the distribution of electric microfields around a radiating ion. Our calculations provided the benchmark checks for a new and very efficient theory for the microfield called APEX. This new theory accurately describes the microfield distributions in all three of the plasma models described above[84f].

III. References to ONR Sponsored Research

In this section we list the work we published under ONR sponsorship from 1980 to 1984 by year of publication. These include 14 articles in refereed journals, 4 internal reports, and 2 invited papers.

1980

- a. "Equation of State for Self-Excited MHD Generator Studies", F. J. Rogers, M. Ross, G. L. Haggin, and L. K. Wong, LLNL Report, UCID-18557, Feb., 1980.
- b. "Improved Equation of State for the Classical One-Component Plasma", W. L. Slattery, G. D. Doolen, and H. E. Delitt, Phys. Rev. A 21, 2087 (1980).
- c. "A HNC Study of Asymmetrically Charged Hard Spheres", F. J. Rogers, J. Chem. Phys. 73, 6272 (1980).

1961

- a. "Equation of State of Donse, Partially Degenerate, Reacting Plasmas", F. J. Rogers, Phys. Rev. A 24, 1531 (1981).
- b. "Comparison of Two Equation-of-State Models for Partially Ionized Aluminum: Zel'dovich and Raizer's Model Versus the Activity Expansion Code", R. J. Harrach and F. J. Rogers, J. Appl. Phys. 52, 5592 (1981).
- c. "Analytic Electron-Ion Effective Potentials for $Z \le 56$ ", F. J. Rogers, Phys. Rev. A 23, 1006 (1981).

- d. "Electrical Conductivity of Dense Plasmas", F. J. Rogers, H. E. DeWitt, and D. B. Boercker, Phys. Lett. 82A, 331 (1981).
- "Dynamic Screening Effects on Electrical Conductivity in Dense Plasmas",
 D. B. Boercker, F. J. Rogers, and H. E. DeWitt, LLNL Report,
 UCID-18574-81-2, Sep., 1981.

1982

- a. "Dynamic Screening of Electron-Ion Collisions", F. J. Rogers and D. B. Boercker, Bull. Amer. Phys. Soc. 27, 1105, (1982).
- b. "Electron Collision Frequency in Plasmas", D. B. Boercker, F. J. Rogers, and H. E. DeWitt, Phys. Rev. A 25, 1623 (1982).
- c. "Electrical Conductivity of Hydrogen Plasmas", D. B. Boercker, LLNL Report, UCID-18574-81-4, Mar., 1982.
- d. "N-Dependence in the Classical One-Component Plasma Monte Carlo Calculation", W. L. Slattery, G. D. Doolen, and H. E. DeWitt, Phys. Rev. A 26, 2255 (1982).

1983

- a. "Ionization Equilibrium and Equation of State in the Solar Interior", F. J. Rogers, Proceedings of the Conference on Solar Seismology From Space, Aug 17-18, 1983.
- b. "Frequency-Dependent Electrical Conductivity of Strongly-Coupled Plasmas",
 D. B. Boercker, LLML Report, UCID-18574-83-2, Dec., 1983.
- c. "Dynamic Structure Factors in Two-Component Plasmas", R. Cauble and D. B. Boercker, Phys. Rev. A 28, 944 (1983).
- d. "Some Approximate Microfield Distributions for Highly Ionized Plasmas: A Critique", C. A. Iglesias, C. F. Hooper, Jr., and H. E. DeWitt, Phys. Rev. A 28, 361 (1983).

1984

- a. "Integral Equation Method for Partially-Ionized Plasmas", F. J. Rogers, Phys. Rev. A 29, 868 (1984).
- b. "New, Thermodynamically Consistent Integral Equation for Simple Fluids", F. J. Rogers and D. A. Young, Phys. Rev. A 30, 999 (1984).
- c. "A New, Accurate Statistical Mechanical Theory for Simple Fluids", F. J. Rogers and D. A. Young, Phys. Lett. 102A, 303 (1984).
- d. "Statistical Mechanics of Dense Plasmas and Implications for the Plasma Polarization Shift", F. J. Rogers, in Proceedings of the Seventh International Conference on Spectral Line Shapes, Aussois, France, 1984 (in press).

- e. "Statistical Mechanics of Light Elements at High Pressure VII: A Perturbative Free Energy for Arbitrary Mixtures of H and He", W. B. Hubbard and H. E. DeWitt (to appear in Ap. J.).
- f. "Low-Frequency Electric Microfield Distributions in Plasmas", C. A. Iglesias, H. E. DeWitt, J. L. Lebowitz, and D. MacGowan, (to appear in Phys. Rev. A).

FJR:mpd:0001t

DISCLAIMER

This document was proposed as an occupit of work sponsored by an agency of the United States Government. Neither the United States Government use the University of California now any of their employers, makes any warranty, express or implied, or nanomes any legal tichility or responsibility for the accuracy, completeness, or untiliness of any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately owned rights. Reference herein to any specific commercial products, process, or service by trade name, trademark, manufacturer, or otherwise, does not necessarily constitute or imply its undersonat, recommendation, or favoring by the United States Government or the University of California. The views and opinions of authors expressed boroin do not necessarily state or reflect those of the United States Government thereof, and shall not be used for advertising or product endorsement manages.

REFERENCES

- 1. M. N. Saha, Philos. Mag. 40, 472, (1920).
- 2. L. Spitzer, Jr. and R. Harm, Phys. Rev. 89, 977(1953); V. S. Rogov, Teplofiz Vep. Temp. 8, 689 (1970).
- 3. D. W. Baum, S. P. Gill, W. L. Shimmin, J. D. Watson "Dense Nonideal Plasma Research", Annual Report 130, ONR Contract No. NQ0014-78-C-0354.
- 4. See, for instance, A. Isihara, Statistical Physics(Academic Press, NY, 1971), p. 321.
- 5. ibid, p. 174.
- 6. See, for instance, S. Chapman and T. G. Cowling, The Mathematical Theory of Non-Uniform Gases (Cambridge University Press, London, 1958), Chap. 7.
- 7. R. H. Williams and H. E. DeWitt, Phys. Fluids 12, 2326 (1969).
- 8. J. M. Ziman, Philos. Mag. 6, 1013 (1961).
- 9. R. Kubo, in Lectures in Theoretical Physics, edited by W. E. Britten and L. G. Dunham (Interscience, NY, 1959).
- 10. E. Linnebur and J. J. Duderstadt, Phys. Fluids 16, 665 (1973).
- 11. S. G. Brush, H. L. Sahlin, and E. Teller, J. Chem. Phys. 45, 2102 (1966).
- 12. C. A. Iglesias, J. L. Lebowitz, and D. MacGowan, Phys. Rev. A 28, 1667 (1983).

<u>Internal</u>

F. J. Rogers

D. B. Boercker

H. E. DeWitt

C. Graboske

1 copy

1 copy

1 copy

1 copy

1 copy

1 copy

1 copies

1 copies

1 copies

External

Director 1 copy
Defense Advanced Research Projects Agency
Attn: Technical Library
1400 Wilson Blvd.
Arlington, VA 22209

Office of Naval Research
Physics Division Office (Code 412)
800 North Quincy Street
Arlington, VA 22217

Office of Naval Research 1 copy
Physics Division Office (Code 200)
800 North Quincy Street
Arlington, VA 22217

Naval Research Laboratory
Department of the Navy
Attn: Technical Library
Washington, D.C. 20375

Office of the Director of Defense 1 copy
Research and Engineering
Information Office Library Branch
The Petagon
Washington, D.C. 20301

U.S. Army Research Office 2 copies Box 1211 Research Triangle Park North Carolina 22709

Defense Technical Information Center 12 copies Cameron Station
Alexandria, VA 22314

Director, National Bureau of Standards 1 copy Attn: Technical Library Washington, D.C. 20234

Director U.S. Army Engineering Research and Development Laboratories Attn: Technical Documents Center Fort Belvoir, VA 22060	1 copy
ODDR&E Advisory Group on Electron Devices 201 Varick Street New York, NY 10014	1 copy
Air Force Office of Scientific Research Department of the Air Force Bolling AFB, D.C. 22209	1 copy
Air Force Weapons Laboratory Technical Library Kirtland Air Force Base Albuquerque, NM 87117	1 сору
Air Force Avionics Laboratory Air Force Systems Command Technical Library Wright-Patterson Air Force Base Dayton, Ohio 45433	1 сору
Lawrence Livermore National Laboratory Attn: Dr. W. F. Krupke L-488 University of California P.O. Box 808 Livermore, CA 94550	1 сору
Harry Diamond Laboratories Technica Library 2800 Powder Mill Road Adelphi, Maryland 20783	1 сору
Naval Air Development Center Attn: Technical Library Johnsville Warminster, Pennsylvania 18974	1 сору
Naval Weapons Center Technical Library (Code 753) China Lake, CA 93555	1 copy
Maval Underwater Systems Center Technical Center New London, Connecticut 06320	1 copy
Commandant of the Marine Corps Scientific Advisor (Code RD-1) Washington, D.C. 20380	1 copy

こうこうします しこくしてきなり 地は きなけるかっているのとの

Naval Ordnance Station Technical Library Indian Head, Maryland 20640	1 copy
Naval Postgraduate School Technical Library (Code O212) Monterey, CA 93940	1 copy
Naval Missile Center Technical Library (Code 5632.2) Point Mugu, CA 93010	1 сору
Naval Ordnance Station Technical Library Louisville, Kentucky 40214	1 сору
Commanding Officer Naval Ocean Research & Development Activity Technical Library NSTL Station, Mississippi 39529	1 сору
Naval Explosive Ordnance Disposal Facility Technical Library Indian Head, Maryland 20640	1 copy
Naval Ocean Systems Center Technical Library San Diego, CA 92152	1 copy
Naval Surface Weapons Center Technical Library Silver Spring, Maryland 20910	1 copy
Naval Ship Research and Development Center Central Library (Code L42 and L43) Bethesda, Maryland 20084	1 copy
Naval Avionics Facility Technical Library Indianapolis, Indiana 46218	1 copy

